

Questionnaire: Sows Farrowing

General

This first set of questions (General) can be completed prior to entering the animal facility. For the actual scan (following section) it is recommended to start at least one hour after feeding.

Farm management

If you completed this scan already in the past, you will see the previously introduced answers for some of the questions.

Please, check whether they are still valid and modify the answer if required.

Date of the scan
Your name (or description) for this unit
The purpose of this name is to distinguish between your own buildings or units if you have multiple ones
Enter the total number of farrowing sows present.
Which housing system is in place for the farrowing sows? (1 optie aanduiden)
individual housing (1 sow with litter)
C group housing (stable groups)
© group housing (dynamic groups)
Which type of heating is provided in the piglet's nest? You can select multiple options. (Meerdere opties mogelijk)
□ heating pads (mats)
□ heat lamps
□ radiant heater
□ sufficient amount of straw
□ no heating

Which type(s) of enrichment is/are provided indoor?

You can select multiple options.

(Meerdere opties mogelijk)
□ straw - roughage
☐ fixed wood
□ loose wood
□ burlap sack
□ chain
☐ fixed toys (by chain or bar)
□ loose toys
□ soil
□ other
none
Which type(s) of enrichment is/are provided outdoor? You can select multiple options. (Meerdere opties mogelijk)
□ straw - roughage
☐ fixed wood
□ loose wood
□ burlap sack
□ chain
☐ fixed toys (by chain or bar)
□ loose toys
□ soil
□ pasture (grass)
□ wallow
□ other
□ none
Are (some of) the sows nose ringed?
○ Ja
○ Nee
Are the tails of the piglets docked? (1 optie aanduiden)
C No
C Yes
C Yes, some of the animals
Are the piglets castrated? (1 optie aanduiden)
○ No (intact males)
C Yes (surgical castration)
C Yes (immunocastration)

Do you observe sows with signs of sunburn at any point in time during the year? This occurs in white/light coloured pigs on the exposed body areas (back, ears, flank). Signs of sunburn are reddening, oedema and possibly scabs and peeling of the skin. (1 optie aanduiden)
YesOccasionallyNo
Might some animals in this unit have difficulties accessing good quality drinking water at some point in time? This could be due to both physical factors (e.g. not enough drinkers) or social factors (e.g. risk of aggression) that impede access. Usually Ja Nee
Individual Observations
1/10
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows across the unit! If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.
Please give the animals a moment to get used to your presence before starting the observation.
Observation number: (1 optie aanduiden)
C all farrowing sows are assessed (if < 10 present)
C observation of the 1st sow
O observation of the 2nd sow
O observation of the 3rd sow
Observation of the 4th sow
O observation of the 5th sow
Observation of the 6th sow Observation of the 7th sow
Observation of the 7th sow Observation of the 8th sow
Observation of the 9th sow
Observation of the 10th sow
Is the sow: A. panting
C Ja
C Nee
B. shivering
C Ja
C Nee

C. in lateral recumbency during non-nursing time
C Ja
○ Nee
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.
C Ja
C Nee
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running. Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen.
C Ja
C Nee
Does the sow display laboured breathing (pumping)?
C Ja
C Nee
Does the sow have signs of frothy saliva?
○ Ja
C Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja
C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
C Ja
© Nee
Does the sow have any clear swelling at the knee or hock region?

swelling at least as large as the **diameter of the leg** at the level of the swelling, **or** swelling **with wound**

C Ja
○ Nee
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
○ Ja
C Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
C Ja
○ Nee
B. at least 15 scratches on one side?
C Ja
© Nee
Does the sow have: A. any ear lesions?
C Ja
C Nee
B. any tail lesions?
C Ja
C Nee
Does the sow have: any signs of skin irritation or parasites?
C Ja
○ Nee
Does the sow have any signs of: (check at a distance of about 1 meter) A. prolapse?
C Ja
○ Nee
B. abnormal vaginal discharge?
O Ja
C Nee
C. vulva lesions?
C Ja
© Nee

Does the sow have any signs of: A. mastitis?
O Ja
C Nee
B. lesions on udder / teats?
C Ja
○ Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
С Ја
C Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
Are the piglets: A. huddling (at least 20%)?
О Ја
C Nee
B. shivering (at least 20%)?
C Ja
C Nee
Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting
С Ја
C Nee
B. pumping: at least 1 piglet
C Ja
C Nee
Do you observe any signs of liquid faeces in the pen (on walls or floor)?
C Ja
C Nee
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)

Count (using the + button) the number of piglets with: A. signs of neurological disorders:
B. splay legs:
C. skin lesions at the snout:
D. skin lesions at the front legs:
2. skin lesions at the front legs.
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?
C Ja
C Nee
of the piglets?
C Ja
© Nee
2/10
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows
across the unit! If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.
il you have \ 10 farrowing sows, assess all sows. Il you have > 10 farrowing sows, assess 10 sows.
Please give the animals a moment to get used to your presence before starting the observation.
Observation number: (1 optie aanduiden)
C all farrowing sows are assessed (if < 10 present)
Observation of the 1st sow
Observation of the 2nd sow
Observation of the 3rd sow
Observation of the 4th sow
Observation of the 5th sow
Observation of the 6th sow
Observation of the 7th sow
Observation of the 8th sow
Observation of the 9th sow
O observation of the 10th sow
Is the sow:

A. panting
C Ja
C Nee
B. shivering
O Ja
○ Nee
C. in lateral recumbency during non-nursing time
O Ja
C Nee
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil. Use Nee
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running. Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen.
C Ja
C Nee
Does the sow display laboured breathing (pumping)?
O Ja
C Nee
Does the sow have signs of frothy saliva?
C Ja
© Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja
© Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean

C too fat
Does the sow have any shoulder lesions?
C Ja Nee
Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
C Ja Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
C Ja
C Nee
B. at least 15 scratches on one side?
O Ja
C Nee
Does the sow have: A. any ear lesions?
C Ja
○ Nee
B. any tail lesions?
O Ja
○ Nee
Does the sow have: any signs of skin irritation or parasites?
Ō Ja
© Nee
Does the sow have any signs of: (check at a distance of about 1 meter) A. prolapse?
C Ja
C Nee

O Ja
C Nee
C. vulva lesions?
Ĉ Ja
© Nee
Does the sow have any signs of: A. mastitis?
O Ja
C Nee
B. lesions on udder / teats?
C Ja
© Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
C Ja
© Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
How many piglets are present in the nest/in the area around the observed sow?
How many piglets are present in the nest/in the area around the observed sow? Are the piglets: A. huddling (at least 20%)?
Are the piglets:
Are the piglets: A. huddling (at least 20%)?
Are the piglets: A. huddling (at least 20%)? C. Ja
Are the piglets: A. huddling (at least 20%)? O Ja O Nee
Are the piglets: A. huddling (at least 20%)? C Ja C Nee B. shivering (at least 20%)?
Are the piglets: A. huddling (at least 20%)? O Ja O Nee B. shivering (at least 20%)? O Ja
Are the piglets: A. huddling (at least 20%)? C. Ja C. Nee B. shivering (at least 20%)? C. Ja C. Nee Assess the breathing of the piglets.
Are the piglets: A. huddling (at least 20%)? C. Ja C. Nee B. shivering (at least 20%)? C. Ja C. Nee Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting
Are the piglets: A. huddling (at least 20%)? C. Ja C. Nee B. shivering (at least 20%)? C. Ja C. Nee Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting C. Ja
Are the piglets: A. huddling (at least 20%)? C. Ja C. Nee B. shivering (at least 20%)? C. Ja C. Nee Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting C. Ja C. Nee

B. abnormal vaginal discharge?

Do you observe any signs of liquid faeces in the pen (on walls or floor)?
O Ja
C Nee
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)
Count (using the + button) the number of piglets with: A. signs of neurological disorders:
B. splay legs:
C. skin lesions at the snout:
D. skin lesions at the front legs:
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?
C Ja
C Nee
of the piglets?
C Ja
© Nee
3/10
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows across the unit! If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.
Please give the animals a moment to get used to your presence before starting the observation.
Observation number: (1 optie aanduiden)
C all farrowing sows are assessed (if < 10 present)
O observation of the 1st sow
Observation of the 2nd sow
C observation of the 3rd sow
Observation of the 4th sow

Observation of the 5th sow	
Observation of the 6th sow	
Observation of the 7th sow	
Observation of the 8th sow	
Observation of the 9th sow	
Observation of the 10th sow	
Is the sow:	
A. panting	
C Ja	
© Nee	
B. shivering	
C Ja	
C Nee	
C. in lateral recumbency during non-nursing time	
C Ja	
○ Nee	
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.	
○ Ja	
C Nee	
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and runni Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying around the pen.	Ū
C Ja	
C Nee	
Does the sow display laboured breathing (pumping)?	
C Ja	
© Nee	
Does the sow have signs of frothy saliva?	
C Ja	
C Nee	
Is this sow in a bad general state (requiring further care)?	

animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)

C Ja
C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
O Ja
C Nee
Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
○ Ja
© Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
○ Ja
C Nee
B. at least 15 scratches on one side?
O Ja
C Nee
Does the sow have: A. any ear lesions?
C Ja
C Nee
B. any tail lesions?
C Ja
C Nee
Does the sow have: any signs of skin irritation or parasites?
C Ja

C Nee
Does the sow have any signs of: (check at a distance of about 1 meter) A. prolapse?
C Ja
C Nee
B. abnormal vaginal discharge?
O Ja
○ Nee
C. vulva lesions?
C Ja
C Nee
Does the sow have any signs of: A. mastitis?
C Ja
© Nee
B. lesions on udder / teats?
O Ja
© Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
C Ja
○ Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
Are the piglets: A. huddling (at least 20%)?
O Ja
C Nee
B. shivering (at least 20%)?
О Ја
C Nee
Assess the breathing of the piglets.

A. panting: at least 20% of the piglets are panting

C Ja				
© Nee				
B. pumping: at least 1 piglet				
C Ja				
C Nee				
Do you observe any signs of liquid faeces in the pen (on walls or floor)?				
O Ja				
© Nee				
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:				
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)				
Count (using the + button) the number of piglets with: A. signs of neurological disorders:				
B. splay legs:				
C. skin lesions at the snout:				
D. skin lesions at the front legs:				
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?				
C Ja				
C Nee				
of the piglets?				
C Ja				
© Nee				
4/10				
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows				

across the unit!

If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.

Please give the animals a moment to get used to your presence before starting the observation.

Observation number: (1 optie aanduiden)			
all farrowing sows are assessed (if < 10 present)			
observation of the 1st sow			
Observation of the 2nd sow			
Observation of the 3rd sow			
Observation of the 4th sow			
C observation of the 5th sow			
C observation of the 6th sow			
C observation of the 7th sow			
C observation of the 8th sow			
O observation of the 9th sow			
Observation of the 10th sow			
Is the sow: A. panting			
C Ja			
C Nee			
B. shivering			
C Ja			
C Nee			
C. in lateral recumbency during non-nursing time			
C Ja			
C Nee			
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil. Use Nee			
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running. Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen. O Ja Nee			
Does the sow display laboured breathing (pumping)?			
C Ja			
- vu			
© Nee			

Does the sow have signs of frothy saliva?

O Ja
O Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja
C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
O Ja
© Nee
Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
C Ja
© Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
C Ja
C Nee
B. at least 15 scratches on one side?
O Ja
○ Nee
Does the sow have: A. any ear lesions?
O Ja
© Nee

B. any tail lesions?
C Ja
C Nee
Does the sow have: any signs of skin irritation or parasites?
C Ja
C Nee
Does the sow have any signs of: (check at a distance of about 1 meter) A. prolapse?
O Ja
C Nee
B. abnormal vaginal discharge?
C Ja
C Nee
C. vulva lesions?
C Ja
○ Nee
Does the sow have any signs of: A. mastitis?
C Ja
C Nee
B. lesions on udder / teats?
C Ja
C Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
C Ja
C Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
Are the piglets: A. huddling (at least 20%)?
O Ja

C Nee				
B. shivering (at least 20%)?				
C Ja				
C Nee				
Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting				
○ Ja				
C Nee				
B. pumping: at least 1 piglet				
C Ja				
C Nee				
Do you observe any signs of liquid faeces in the pen (on walls or floor)?				
C Ja				
C Nee				
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:				
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)				
Count (using the + button) the number of piglets with: A. signs of neurological disorders:				
A. signs of neurological disorders:				
A. signs of neurological disorders:				
A. signs of neurological disorders: B. splay legs:				
A. signs of neurological disorders: B. splay legs:				
A. signs of neurological disorders: B. splay legs: C. skin lesions at the snout:				
A. signs of neurological disorders: B. splay legs: C. skin lesions at the snout:				
A. signs of neurological disorders: B. splay legs: C. skin lesions at the snout:				
A signs of neurological disorders: B. splay legs: C. skin lesions at the snout: D. skin lesions at the front legs: Did/do you hear any sneezing and/or coughing in this group during this assessment?				
A. signs of neurological disorders: B. splay legs: C. skin lesions at the snout: D. skin lesions at the front legs: Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?				
A. signs of neurological disorders: B. splay legs: C. skin lesions at the snout: D. skin lesions at the front legs: Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow? C. Ja				

5/10			
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows across the unit! If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.			
Please give the animals a moment to get used to your presence before starting the observation.			
Observation number: (1 optie aanduiden)			
C all farrowing sows are assessed (if < 10 present)			
O observation of the 1st sow			
O observation of the 2nd sow			
O observation of the 3rd sow			
O observation of the 4th sow			
O observation of the 5th sow			
O observation of the 6th sow			
O observation of the 7th sow			
O observation of the 8th sow			
O observation of the 9th sow			
O observation of the 10th sow			
Is the sow: A. panting			
C Ja			
C Nee			
B. shivering			
C Ja			
C Nee			
C. in lateral recumbency during non-nursing time			
C Ja			
C Nee			
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.			
C Ja			
○ Nee			
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running.			

Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting).

○ Nee

Object Play : Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen.
C Ja
○ Nee
Does the sow display laboured breathing (pumping)?
O Ja
C Nee
Does the sow have signs of frothy saliva?
C Ja
C Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
С Ја
C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too lean C too fat
C too fat
C too fat Does the sow have any shoulder lesions?
C too fat Does the sow have any shoulder lesions? C Ja
C too fat Does the sow have any shoulder lesions? C Ja Nee Does the sow have any clear swelling at the knee or hock region?
C too fat Does the sow have any shoulder lesions? Ja Nee Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
O too fat Does the sow have any shoulder lesions? Ja Nee Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound Ja
Does the sow have any shoulder lesions? Ja Nee Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound Ja Nee Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day)
Does the sow have any shoulder lesions? Ja Nee Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound Ja Nee Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
Does the sow have any shoulder lesions? Ja Nee Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound Ja Nee Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
Does the sow have any shoulder lesions? Ja Nee Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound Ja Nee Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem. Ja Nee Does the sow have:

B. at least 15 scratches on one side?
C Ja
© Nee
Does the sow have: A. any ear lesions?
C Ja
C Nee
B. any tail lesions?
C Ja
© Nee
Does the sow have: any signs of skin irritation or parasites?
C Ja
C Nee
Does the sow have any signs of: (check at a distance of about 1 meter) A. prolapse?
C Ja
© Nee
B. abnormal vaginal discharge?
C Ja
© Nee
C. vulva lesions?
C Ja
C Nee
Does the sow have any signs of: A. mastitis?
C Ja
C Nee
B. lesions on udder / teats?
C Ja
C Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
~ ua

C Nee	
Piglets Nest	
How many piglets are present in the nest/in the area around the observed sow?	
Are the piglets: A. huddling (at least 20%)?	
C Ja Nee	
B. shivering (at least 20%)?	
C Ja C Nee	
Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting	
C Ja C Nee	
B. pumping: at least 1 piglet	
C Ja C Nee	
Do you observe any signs of liquid faeces in the pen (on walls or floor)?	
C Ja	
C Nee	
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:	
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)	
Count (using the + button) the number of piglets with: A. signs of neurological disorders:	
B. splay legs:	
C. skin lesions at the snout:	
D. skin lesions at the front legs:	

Did/do you hear any sneezing ar of the sow?	nd/or coughing in this group during this assessment?
C Ja	
○ Nee	
of the piglets?	
C Ja	
C Nee	
6/10	
across the unit!	sows (with their litter). Please, make sure to randomly select sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows
Please give the animals a mome	nt to get used to your presence before starting the observation.
Observation number: (1 optie aanduiden)	
C all farrowing sows are assessed	(if < 10 present)
O observation of the 1st sow	
O observation of the 2nd sow	
O observation of the 3rd sow	
O observation of the 4th sow	
O observation of the 5th sow	
O observation of the 6th sow	
O observation of the 7th sow	
O observation of the 8th sow	
O observation of the 9th sow	
O observation of the 10th sow	
Is the sow: A. panting	
C Ja	
○ Nee	
B. shivering	
C Ja	
C Nee	
C. in lateral recumbency during	non-nursing time
○ Ja	
○ Nee	

Is the sow currently using the enrichment?

Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.
C Ja
C Nee
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running. Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen.
С Ја
C Nee
Does the sow display laboured breathing (pumping)?
C Ja
○ Nee
Does the sow have signs of frothy saliva?
C Ja
C Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja
C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
C Ja
C Nee
Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
C Ja
C Nee

Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.

C Ja
○ Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
O Ja
Nee B. at least 15 scratches on one side?
B. at least 10 scratches on one side:
C Ja C Nee
Does the sow have: A. any ear lesions?
C Ja
○ Nee
B. any tail lesions?
C Ja
○ Nee
Does the sow have: any signs of skin irritation or parasites?
O Ja
○ Nee
Does the sow have any signs of:
(check at a distance of about 1 meter) A. prolapse?
•
A. prolapse?
A. prolapse? © Ja
A. prolapse? C Ja C Nee
A. prolapse? C. Ja C. Nee B. abnormal vaginal discharge?
A. prolapse? C. Ja C. Nee B. abnormal vaginal discharge? C. Ja
A. prolapse? C. Ja C. Nee B. abnormal vaginal discharge? C. Ja C. Nee
A. prolapse? C. Ja Nee B. abnormal vaginal discharge? C. Ja Nee C. vulva lesions?
A. prolapse? C. Ja C. Nee B. abnormal vaginal discharge? C. Ja C. Nee C. vulva lesions? C. Ja
A. prolapse? C. Ja Nee B. abnormal vaginal discharge? C. Ja Nee C. vulva lesions? C. Ja Nee Does the sow have any signs of:

B. lesions on udder / teats?
C Ja
C Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
C Ja
○ Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
Are the piglets: A. huddling (at least 20%)?
C Ja
C Nee
B. shivering (at least 20%)?
C Ja
C Nee
Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting
C Ja
C Nee
B. pumping: at least 1 piglet
C Ja
C Nee
Do you observe any signs of liquid faeces in the pen (on walls or floor)?
C Ja
C Nee
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)
Count (using the + button) the number of piglets with: A. signs of neurological disorders:

B. splay legs:
C. skin lesions at the snout:
D. skin lesions at the front legs:
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?
C Ja
C Nee
of the piglets?
O Ja
○ Nee
7/10
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows across the unit! If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.
Please give the animals a moment to get used to your presence before starting the observation.
Observation number: (1 optie aanduiden)
C all farrowing sows are assessed (if < 10 present)
C observation of the 1st sow
C observation of the 2nd sow
C observation of the 3rd sow
C observation of the 4th sow
C observation of the 5th sow
C observation of the 6th sow
C observation of the 7th sow
C observation of the 8th sow
C observation of the 9th sow
O observation of the 10th sow
Is the sow: A. panting
C Ja
C Nee
B. shivering

O Ja
C Nee
C. in lateral recumbency during non-nursing time
C Ja
C Nee
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.
C Ja
© Nee
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running. Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen. C Ja
C Nee
Does the sow display laboured breathing (pumping)?
C Ja
C Nee
Does the sow have signs of frothy saliva?
C Ja
C Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja
C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
C Ja
C Nee

swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
C Ja
C Nee
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
O Ja
C Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
O Ja
○ Nee
B. at least 15 scratches on one side?
C Ja
C Nee
Does the sow have: A. any ear lesions?
C Ja
C Nee
B. any tail lesions?
O Ja
C Nee
Does the sow have: any signs of skin irritation or parasites?
C Ja C Nee
Does the sow have any signs of: (check at a distance of about 1 meter)
A. prolapse?
O Ja
C Nee
B. abnormal vaginal discharge?
O Ja
C Nee
C. vulva lesions?

C Ja
© Nee
Does the sow have any signs of: A. mastitis?
C Ja
C Nee
B. lesions on udder / teats?
C Ja
© Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
C Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
Are the piglets: A. huddling (at least 20%)?
C Ja
C Nee
B. shivering (at least 20%)?
C Ja
© Nee
Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting
○ Ja
© Nee
B. pumping: at least 1 piglet
C Ja
© Nee
Do you observe any signs of liquid faeces in the pen (on walls or floor)?
C Ja
© Nee
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:

B. with faeces / manure on at least 50% of its skin surface (at one side of the body)
Count (using the + button) the number of piglets with: A. signs of neurological disorders:
B. splay legs:
C. skin lesions at the snout:
D. skin lesions at the front legs:
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?
C Ja
○ Nee
of the piglets?
C Ja
C Nee
0440
8/10
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows across the unit! If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.
Please give the animals a moment to get used to your presence before starting the observation.
Observation number: (1 optie aanduiden)
C all farrowing sows are assessed (if < 10 present)
C observation of the 1st sow
Observation of the 2nd sow
C observation of the 3rd sow
C observation of the 4th sow
O observation of the 5th sow
O observation of the 6th sow
O observation of the 7th sow
O observation of the 8th sow
Observation of the 9th sow

Observation of the 10th sow
Is the sow: A. panting
O Ja
C Nee
B. shivering
C Ja Nee
C. in lateral recumbency during non-nursing time
C Ja Nee
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.
C Ja Nee
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running. Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen.
C Ja Nee
Does the sow display laboured breathing (pumping)?
C Ja Nee
Does the sow have signs of frothy saliva?
C Ja Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible).

(1 optie aanduiden)

C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
C Ja
C Nee
Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
C Ja
O Nee
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
C Ja
O Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
C Ja
C Nee
B. at least 15 scratches on one side?
C Ja
© Nee
Does the sow have: A. any ear lesions?
C Ja
C Nee
B. any tail lesions?
C Ja
C Nee
Does the sow have:
any signs of skin irritation or parasites?
O Ja
C Nee
Does the sow have any signs of: (check at a distance of about 1 meter) A. prolapse?

O Ja
C Nee
B. abnormal vaginal discharge?
C Ja
○ Nee
C. vulva lesions?
C Ja
C Nee
Does the sow have any signs of: A. mastitis?
O Ja
C Nee
B. lesions on udder / teats?
○ Ja
C Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk Use Ja
C Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
Are the piglets:
A. huddling (at least 20%)?
C Ja
C Ja
C Ja Nee
C Ja C Nee B. shivering (at least 20%)?
C Ja Nee B. shivering (at least 20%)? C Ja
☐ Ja ☐ Nee B. shivering (at least 20%)? ☐ Ja ☐ Nee Assess the breathing of the piglets.
O Ja O Nee B. shivering (at least 20%)? O Ja O Nee Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting
O Ja O Nee B. shivering (at least 20%)? O Ja O Nee Assess the breathing of the piglets. A panting: at least 20% of the piglets are panting O Ja

© Nee
Do you observe any signs of liquid faeces in the pen (on walls or floor)?
C Ja
© Nee
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)
Count (using the + button) the number of piglets with: A. signs of neurological disorders:
B. splay legs:
C. skin lesions at the snout:
D. skin lesions at the front legs:
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?
C Ja
© Nee
of the piglets?
C Ja
© Nee
9/10
Now start assessing individual sows (with their litter). Please, make sure to randomly select sows across the unit! If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.
Please give the animals a moment to get used to your presence before starting the observation.
Observation number: (1 optie aanduiden)
C all farrowing sows are assessed (if < 10 present)
O observation of the 1st sow
O observation of the 2nd sow

O observation of the 3rd sow
C observation of the 4th sow
Observation of the 5th sow
O observation of the 6th sow
Observation of the 7th sow
O observation of the 8th sow
C observation of the 9th sow
O observation of the 10th sow
Is the sow: A. panting
O Ja
C Nee
B. shivering
С Ја
C Nee
C. in lateral recumbency during non-nursing time
С Ја
C Nee
Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.
С Ја
O Nee
Do you observe any playful behaviour in the piglets? Locomotor Play: Energetic movements such as twirling of the body, jumping, dropping to the floor and running Social Play: Energetic interaction between two or more piglets except harmful fighting (no biting). Object Play: Animal manipulates an item or securely holds it in its mouth, energetically shaking it or carrying it around the pen.
С Ја
C Nee
Does the sow display laboured breathing (pumping)?
С Ја
C Nee
Does the sow have signs of frothy saliva?
C Ja
O Nee
Is this sow in a bad general state (requiring further care)?

animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja
C Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
С Ја
C Nee
Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
C Ja
© Nee
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
C Ja
C Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
С Ја
C Nee
B. at least 15 scratches on one side?
C Ja
C Nee
Does the sow have: A. any ear lesions?
C Ja
C Nee
B. any tail lesions?
О Ја
C Nee

Does the sow have: any signs of skin irritation or parasites?
C Ja C Nee
· Nee
Does the sow have any signs of: (check at a distance of about 1 meter)
A. prolapse?
○ Ja
C Nee
B. abnormal vaginal discharge?
C Ja
C Nee
C. vulva lesions?
C Ja
© Nee
Does the sow have any signs of: A. mastitis?
C Ja
C Nee
B. lesions on udder / teats?
C Ja
C Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
C Ja
© Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?
Are the piglets: A. huddling (at least 20%)?
C Ja
C Nee
B. shivering (at least 20%)?
C Ja

○ Nee
Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting
C Ja
C Nee
B. pumping: at least 1 piglet
C Ja
© Nee
Do you observe any signs of liquid faeces in the pen (on walls or floor)?
C Ja
C Nee
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)
Count (using the + button) the number of piglets with: A. signs of neurological disorders:
B. splay legs:
C. skin lesions at the snout:
D. skin lesions at the front legs:
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?
C Ja
© Nee
of the piglets?
O Ja
© Nee
10/10

Now start assessing individual sows (with their litter). Please, make sure to randomly select sows across the unit!

If you have < 10 farrowing sows, assess all sows. If you have > 10 farrowing sows, assess 10 sows.

Please give the animals a moment to get used to your presence before starting the observation.

Observation number:

(1 optie aanduiden)

all farrowing sows are assessed (if < 10 present)

Observation number: (1 optie aanduiden)
C all farrowing sows are assessed (if < 10 present)
Observation of the 1st sow
Observation of the 2nd sow
Observation of the 3rd sow
Observation of the 4th sow
Observation of the 5th sow
Observation of the 6th sow
Observation of the 7th sow
Observation of the 8th sow
Observation of the 9th sow
Observation of the 10th sow
Is the sow: A. panting
C Ja
C Nee
B. shivering
C Ja
C Ja Nee
© Nee
C. in lateral recumbency during non-nursing time
NeeC. in lateral recumbency during non-nursing timeJa
C. in lateral recumbency during non-nursing time Ja Nee Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil.
C. in lateral recumbency during non-nursing time Ja Nee Is the sow currently using the enrichment? Please, taken into account the options you selected earlier: straw - roughage, fixed wood, loose wood, burlap sack, chain, fixed toys (by chain or bar), loose toys, soil. Ja

Nee

Does the sow display laboured breathing (pumping)?
C Ja
C Nee
Does the sow have signs of frothy saliva?
C Ja
C Nee
Is this sow in a bad general state (requiring further care)? animals which are obviously in pain, sick, needing further care to avoid complications, dull or apathic (not bright, alert & responsive), isolated from the group (lying, standing, eating), with dull/sunken eyes, blue/red ears or snout, pale skin colour, rapid respiration, and animals with significant deformation or large hernia (bigger than the distance between the actual hernia and the floor)
C Ja
© Nee
Score the body condition of the sow: The spine, hip and pin bones are visually inspected (and then palpated if possible). (1 optie aanduiden)
C normal
C too lean
C too fat
Does the sow have any shoulder lesions?
C Ja
C Nee
Does the sow have any clear swelling at the knee or hock region? swelling at least as large as the diameter of the leg at the level of the swelling, or swelling with wound
C Ja
© Nee
Is the sow covered with faeces / manure (at least 50% of its skin surface at one side of the body)? Note that this parameter should not be confused with dirtiness: an outdoor pig soiled with mud (on a warm day) is normal, and does not necessarily indicate a welfare problem.
○ Ja
C Nee
Does the sow have: A. any skin wounds larger than 5 cm (flank, legs)?
C Ja
C Nee
B. at least 15 scratches on one side?
C Ja
C Nee

Does the sow have: A. any ear lesions?
O Ja
○ Nee
B. any tail lesions?
C Ja
○ Nee
Does the sow have: any signs of skin irritation or parasites?
C Ja
© Nee
Does the sow have any signs of: (check at a distance of about 1 meter) A. prolapse?
C Ja
○ Nee
B. abnormal vaginal discharge?
C Ja
C Nee
C. vulva lesions?
O Ja
© Nee
Does the sow have any signs of: A. mastitis?
C Ja
C Nee
B. lesions on udder / teats?
C Ja
C Nee
Is the sow obviously lame? obviously lame: clearly visible reduced weight bearing on one limb ("limping") up to sow being unable to walk
C Ja
○ Nee
Piglets Nest
How many piglets are present in the nest/in the area around the observed sow?

Are the piglets: A. huddling (at least 20%)?
C Ja
C Nee
B. shivering (at least 20%)?
O Ja
C Nee
Assess the breathing of the piglets. A. panting: at least 20% of the piglets are panting
C Ja
C Nee
B. pumping: at least 1 piglet
○ Ja
○ Nee
Do you observe any signs of liquid faeces in the pen (on walls or floor)?
C Ja
C Nee
Count (using the + button) the number of piglets A. which are non-vital, weak or sick:
B. with faeces / manure on at least 50% of its skin surface (at one side of the body)
Count (using the + button) the number of piglets with: A. signs of neurological disorders:
B. splay legs:
C. skin lesions at the snout:
D. skin locione at the front logs:
D. skin lesions at the front legs:
Did/do you hear any sneezing and/or coughing in this group during this assessment? of the sow?

O Ja

of the piglets?
O Ja
○ Nee
Remarks
Please, record any additional information that might be relevant for the interpretation of the results of the sca (such as: heat wave, disease outbreak,)
End of Assessment
Please, confirm that these results are valid and accurate?
If you did not perform a valid and accurate scan, these results should <u>NOT</u> be included in the benchmarking. You will receive an automated report of the uploaded results in any case.
C Ja
C Nee

Please, upload your responses by clicking the cloud icon below.

Nee